

601 12th Street | Phenix City, AL 36867

Ph: 334-448-2760

phenixcitual.us

DR. R. GRIFF GORDY Councilmember At Large

STEVE BAILEY Councilmember District 1 **EDDIE N. LOWE** Mayor

VICKEY CARTER JOHNSON Councilmember District 2

ARTHUR L. DAY, JR. Mayor Pro Tem / District 3

WALLACE B. HUNTER, City Manager MELONY LEE, City Clerk ANGEL MOORE, P.E., City Engineer Director of Engineering / Director of Public Works

To whom it may concern:

Notice is hereby given that the City of Phenix City, Alabama will receive sealed bids for "Bid Number E20-01, Hot Mix Asphalt Paving and Roadway Improvements" until 9:30 A.M.. E.S.T. on March 9, 2020. The official bid opening will be at 10:00 A.M. E.S.T.in the City Council Chambers at City Hall, 1111 Broad Street, Phenix City, Alabama. The following specifications shall apply:

#### **GENERAL SPECIFICATIONS**

- 1. All bids must be submitted by 9.30 A.M. E.S.T. on March 9, 2020, on the attached bid form with compliance with each specification indicated and sealed in an envelope with the words "Bid Number E20-01, Hot Mix Asphalt Paving and Roadway Improvements" clearly marked on the outside of the envelope. Bids should be mailed or hand-delivered to the City of Phenix City Finance Department, Attn: Purchasing Agent, 601 12th St., 2nd Floor, Phenix City, Alabama 36867. Bids received after 10:00 A.M. E.S.T. March 9, 2020, will not be considered.
- 2. All items are to be completed in-place (with the exception of asphalt picked up by City forces) and shall be in accordance with current City of Phenix City Standards and Specifications. If not specified by the City of Phenix City, all material, construction, and quality requirements shall be in accordance with current Alabama Department of Transportation Standards and Specifications, if applicable. The bidder shall furnish all materials, equipment, and labor for the transporting and placement of the bid items.
- 3. Bids shall be effective from the date of award until February 28, 2021. This contract can be extended for a period of up to three years if agreed upon by both parties and allowing for rate increases for year 2021 and year 2022.
- 4. All work performed for the City of Phenix City will be done so within the Corporate Limits of Phenix City, Alabama. Minimum quantities (if any) required for each mobilization and pay item should be provided with the bid on an attached sheet.
- 5. The award will be to the lowest responsible bidder meeting specifications. The City of Phenix City reserves the right to reject any and all bids. Quality, conformity to specifications, past service and experience of bidders will be considered.
- 6. A bid bond (or certified check) in the amount of one thousand dollars (\$1,000) must accompany the submitted bid. Failure to furnish bid bond will cause the bid to be rejected.







#### SYSTON OLIGINAL SYSTEMS AND STREET ST

601 12th Street | Phenix City, AL 36867 | Ph: 334-448-2760 | Fx: 334-291-4848 | phenixcityal.us

- 7. A performance bond in the amount of fifty thousand dollars (\$50,000) valid until December 31, 2021, shall be submitted prior to work beginning.
- 8. Proof of liability and workman's compensation insurance will be required prior to work beginning.
- 9. Work shall begin within twenty one (21) days after a Notice to Proceed is issued.
- 10. The City Engineering Department shall be notified no later than 48 hours prior to beginning work and 24 hours prior to resuming work when suspended for more than 48 hours. Failure to notify may result in work being rejected.
- 11. Any exceptions and/or substitutions to the specifications and/or items of work should be listed in a detailed description on a separate sheet attached to the bid.
- 12. The bidder shall indemnify and hold harmless the City of Phenix City, its agents and employees from all claims and suits relating to damages or injuries sustained by any persons or property as a result of the work to be performed. The bidder is responsible for conforming to all applicable laws and ordinances and obtaining any necessary licenses and permits.
- 13. Traffic control devices shall conform to the Manual on Uniform Traffic Control Devices, Millennium Edition and shall be furnished and installed by the bidder at no additional cost.
- 14. Bituminous Material Price Adjustments will apply to the items in this bid according to ALDOT Section 109.03, Article (e) of the Standard Specifications. The "Base Index" will be the index for the month of the award of this bid.
- 15. Pay estimates shall be submitted for each "Notice to Proceed" after the work is completed and accepted by the City. Payment will be made within thirty (30) days.
- 16. If requested by the City, test reports shall be submitted on all materials before final payment will be made.
- 17. A maximum gross vehicle weight of 66,000 lbs. is required. No tri-axle trucks will be allowed and loads exceeding 66,000 lbs. GVW will be rejected.
- 18. This bid may be utilized by any other governmental agency located in Russell County, Alabama.
- 19. Bids must be submitted on this form printed in ink or typed, signed in ink, and notarized.
- 20. No errors shall be corrected after the bids are opened. In the event of a discrepancy unit prices will govern.







#### DEPARTMENT OF ENGINEERING / PUBLIC WORKS

, this 14th day of February, 2020.

601 12th Street | Phenix City, AL 36867 | Ph: 334-448-2760 | Fx: 334-291-4848 | phenixcityal.us

21. Any questions concerning these specifications should be directed to Angel Moore, City Engineer at (334) 448-2760.

Signed:

Angel Moore, P.E.

City Engineer

cc: File



	HOT MIX ASPHALT PAVING AND ROADWAY IMPROVEMENTS BID IT EMS	BID LIEN					
ALDOT#	Item to Be Completed in Place	Unit	2020 Cost	2021 Rate Increase	2022 Rate Increase	Quantity	Total
305B071	Coarse Aggregate, Section 801, For Misc. Use	TN					
305B077	Crushed Aggregate, Section 825	TN					
305B078	Crushed Aggregate, Section 825, Type B, For Misc. Use	TN					
301A004	Crushed Aggregate Base Course (4" Compacted Thickness)	SY					
301A008	Crushed Aggregate Base Course (5" Compacted Thickness)	SY					
301A012	Crushed Aggregate Base Course (6" Compacted Thickness)	SY					
301A016	Crushed Aggregate Base Course (7" Compacted Thickness)	SY					
301A020	Crushed Aggregate Base Course (8" Compacted Thickness)	SY					
		j					
2000003	Removing Curb and Gutter (100 250 LE)	7 F					
206D003	Removing Curb and Gutter (250-500 LF)	I.F.					
206D003	Removing Curb and Gutter (over 500 LF)	LF					
N/A	18" Curb and Gutter all types (0-100 LF)	I.F					
N/A	18" Curb and Gutter all types (100-250 LF)	LF					
N/A	18" Curb and Gutter all types (250-500 LF)	LF					
N/A	18" Curb and Gutter all types (over 500 LF)	LF					
N/A	24" Curb and Gutter all types (0-100 LF)	LF					
N/A	24" Curb and Gutter all types( 100-250 LF)	LF					
N/A	24" Curb and Gutter all types (250-500 LF)	LF					
N/A	24" Curb and Gutter all types (over 500 LF)	ΤΉ					
A/N	30" Curb and Gutter all types (0-100 LF)	LF					
N/A	30" Curb and Gutter all types (100-250 LF)	LF					
N/A	30" Curb and Gutter all types (250-500 LF)	LF					
N/A	30" Curb and Gutter all types (over 500 LF)	ΙŦ					
		-					
		-					

					SY	Concrete Drive (over 100 SY, 4" Depth)	N/A
					YS	Concrete Drive (50-100 SY, 4" Depth)	A/N
i					SY	Concrete Drive (25-50 SY, 4" Depth)	N/A
					SY	Concrete Drive (0-25 SY, 4" Depth)	N/A
					SY	Removing Concrete Driveway (over 50 SY)	206C010
					SY		206C010
					SY	Removing Concrete Driveway (0-25 SY)	206C010
					LF	High Strength Aluminum Handrail	517E000
					LF	Sidewalk Handrail	517D000
					SET	Stair Railing	517C000
					LF	Galvanized Steel Pipe Handrail	517A002
			,				
					CY	Brick Masonry	613A000
					SY	Concrete Sidewalk (over 100 SY, 6" Depth)	N/A
					SY	Concrete Sidewalk (50-100 SY, 6" Depth)	N/A
					SY	Concrete Sidewalk (25-50 SY, 6" Depth)	N/A
					SY	Concrete Sidewalk (0-25 SY, 6" Depth)	N/A
					SY	Concrete Sidewalk (over 100 SY, 4" Depth) (Includes Brick Pavers)	N/A
					SY	Concrete Sidewalk (50-100 SY, 4" Depth) (Includes Brick Pavers)	N/A
					SY	Concrete Sidewalk (25-50 SY, 4" Depth) (Includes Brick Pavers)	N/A
					SY	Concrete Sidewalk (0-25 SY, 4" Depth) (Includes Brick Pavers)	N/A
					SY	Concrete Sidewalk (over 100 SY, 4" Depth)	N/A
					SY	Concrete Sidewalk (50-100 SY, 4" Depth)	N/A
					SY	Concrete Sidewalk (25-50 SY, 4" Depth)	N/A
					$\mathbf{S}\mathbf{Y}$	Concrete Sidewalk (0-25 SY, 4" Depth)	N/A
					SY	Removing Concrete Sidewalk (over 50 SY)	206C000
					SY		206C000
				:	SY	Removing Concrete Sidewalk (0- 25 SY)	206C000
Total	Quantity	2022 Rate Increase	2021 Rate Increase	2020 Cost	Unit	Item to Be Completed in Place	ALDOT#
					TO DID TIEM	HOI MIA ASPHALI PAVING AND KOADWAY INFROVEMENTS BID LIEMS	

	THE AND THE CONTRACT TO A THE CONTRACT OF THE			2021 Rate	2022 Rate		
ALDOT#	Item to Be Completed in Place	Unit	2020 Cost	Increase	Increase	Quantity	Total
N/A	Concrete Drive (0-25 SY, 5" Depth)	SY					
N/A	Concrete Drive (25-50 SY, 5" Depth)	SY					
	Concrete Drive (50-100 SY, 5" Depth)	SY					
N/A	Concrete Drive (over 100 SY, 5" Depth)	SY					
N/A	Concrete Drive (0-25 SY, 6" Depth)	SY					
A/N	Concrete Drive (25-50 SY, 6" Depth)	SY					
	Concrete Drive (50-100 SY, 6" Depth)	SY					
N/A	Concrete Drive (over 100 SY, 6" Depth)	SY					
L	Concrete Drive (0-23 SY, 6 Deptn) (includes wire Mesh of Fiber)	SY ,					
N/A	Concrete Drive (25-50 SY, 6" Depth) (Includes Wire Mesh or Fiber)	SY					
	Concrete Drive (over 100 SY, 6" Depth) (Includes Wire Mesh or Fiber)	SY					
N/A	Concrete Drive (0-25 SY, 8" Depth)	SY					
N/A	Concrete Drive (25-50 SY, 8" Depth)	SY					
N/A	Concrete Drive (50-100 SY, 8" Depth)	SY					
N/A	Concrete Drive (over 100 SY, 8" Depth)	SY					
L							
N/A	Cement Mortar Flowable Backfill, Mix 1	CY					
N/A	Cement Mortar Flowable Backfill, Mix 2	CY					
N/A	Cement Mortar Flowable Backfill, Mix 3	CY					
N/A	Cement Mortar Flowable Backfill, Mix 4	CY					
N/A	Cement Mortar Flowable Backfill, Mix 5	CY					
N/A	Grout Void Repair	EACH					
L							
N/A	Minor Structure Concrete	CY					
_	Minor Structure Concrete (Includes Fiber Reinforcement)	CY	,				-
206E000	Removing Headwalls	EACH					
206E050	Removing Slope Paved Headwall	EACH					
N/A	Slope Paving	CY					
N/A	Reinforced Slope Paving	CY					
1							
	Removing Inlets	EACH					
206E002	Removing Junction Boxes	EACH					

	DOI MIA ASEBALI FAYING AND ROAD WAI IMEROYEMENIS DID HEMIS	BID II EW		2021 Rate	2022 Rate		
NI/A	Down to No. Could Down City William	EVCII		Increase	Increase		
N/A	Reconstruct New Catch Basin Double Wing	EACH					
N/A	Reconstruct New Inlet (Frame and Grate)	EACH					
N/A	Reconstruct New Inlet ( Hood, Frame and Grate)	EACH					
N/A	Reconstruct New Junction Box	EACH					
N/A	Construct New Catch Basin Single Wing	EACH					
N/A	Construct New Catch Basin Double Wing	EACH					
N/A	Construction New Inlet (Frame and Grate)	EACH					
N/A	Construct New Inlet ( Hood, Frame and Grate)	EACH					
N/A	Construct New Junction Box	EACH					
533A098	Install 18" Roadway Pipe up to 8' Depth (Labor and Material)	IF					
	Install 18" Roadway Pipe Additional Depth	VF					
533A099	Install 24" Roadway Pipe up to 8' Depth (Labor and Material)	I.F					
	Install 24" Roadway Drain Additional Depth	VF					
533A100	Install 30" Roadway Pipe up to 8' Depth (Labor and Material)	ĘĘ					
	Install 30" Roadway Pipe Additional Depth	VF					
533A101	Install 36" Roadway Pipe up to 8' Depth (Labor and Material)	I#					
	Install 36" Roadway Pipe Additional Depth	VF					
533A102	Install 42" Roadway Pipe up to 8' Depth (Labor and Material)	LF					
	Install 42" Roadway Pipe Additional Depth	VF					
533A103	Install 48" Roadway Pipe up to 8' Depth (Labor and Material)	LF.					
	Install 48" Roadway Pipe Additional Depth	VF					
533A104	Install 54" Roadway Pipe up to 8' Depth (Labor and Material)	LF					
	Install 54" Roadway Pipe Additional Depth	VF					
533A105	Install 60" Roadway Pipe up to 8' Depth (Labor and Material)	LF					
	Install 60" Roadway Pipe Additional Depth	VF					
533A107	Install 72" Roadway Pipe up to 8' Depth (Labor and Material)	LF					
	Install 72" Roadway Pipe Additional Depth	¥F					
533B097	Install 18" Span, 11" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF	·				
	Install 18" Span, 11" Rise Storm Sewer Pipe Additional Depth	VF					
533B098	Install 22" Span, 14" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
						-	

	HOL WILL AND LAND WOOD BY I THE TANK ON THE THE TANK THE	יייק דד עדמ	5				
ALDOT#	Item to Be Completed in Place	Unit	2020 Cost	Increase	2022 Kate Increase	Quantity	Total
	Install 22" Span, 14" Rise Storm Sewer Pipe Additional Depth	VF			i		
533B099	Install 29" Span, 18" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 29" Span, 18" Rise Storm Sewer Pipe Additional Depth	VF					
533B100	Install 36" Span, 23" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 36" Span, 23" Rise Storm Sewer Pipe Additional Depth	VF					
533B101	Install 44" Span, 27" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	TF.					
	Install 44" Span, 27" Rise Storm Sewer Pipe Additional Depth	VF					
533B102	Install 51" Span, 31" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 51" Span, 31" Rise Storm Sewer Pipe Additional Depth	VF					
533B103	Install 59" Span, 36" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 59" Span, 36" Rise Storm Sewer Pipe Additional Depth	VF					
533B104	Install 65" Span, 40" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 65" Span, 40" Rise Storm Sewer Pipe Additional Depth	VF					
533B105	Install 73" Span, 45" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	FF					
	Install 73" Span, 45" Rise Storm Sewer Pipe Additional Depth	VF			E .		
533B106	Install 88" Span, 54" Rise Storm Sewer Pipe up to 8' Depth (Labor and Material)	LF					
	Install 88" Span, 54" Rise Storm Sewer Pipe Additional Depth	VF				-	

		, , , , , , , , , , , , , , , , , , , ,					
ALDOT#	Item to Be Completed in Place	Unit	2020 Cost	2021 Rate Increase	2022 Rate Increase	Quantity	Total
N/A	Install 18" HDPE Pipe up to 8' Depth (Labor and Material)	LF					
	Install 18" HDPE Pipe Additional Depth	VF					
N/A	Install 24" HDPE Pipe up to 8' Depth (Labor and Material)	ĽF					
	Install 24" HDPE Drain Additional Depth	$\mathbf{v}_{\mathbf{F}}$					
N/A	Install 30" HDPE Pipe up to 8' Depth (Labor and Material)	LF					
	Install 30" HDPE Pipe Additional Depth	VF					
N/A	Install 36" HDPE Pipe up to 8' Depth (Labor and Material)	ĹF					
	Install 36" HDPE Pipe Additional Depth	VF				-	
N/A	Install 42" HDPE Pipe up to 8' Depth (Labor and Material)	LF					
	Install 42" HDPE Pipe Additional Depth	VF					
N/A	Install 48" HDPE Pipe up to 8' Depth (Labor and Material)	LF					
	Install 48" HDPE Pipe Additional Depth	VF					
N/A	Install 54" HDPE Pipe up to 8' Depth (Labor and Material)	$_{ m LF}$					ļ !
	Install 54" HDPE Pipe Additional Depth	VF				ļ	
N/A	Install 60" HDPE Pipe up to 8' Depth (Labor and Material)	LF ·					
	Install 60" HDPE Pipe Additional Depth	VF					
N/A	Install 72" HDPE Pipe up to 8' Depth (Labor and Material)	LF					
	Install 72" HDPE Pipe Additional Depth	VF					
621F030	Adjust Manhole to Grade with Riser (1-2")	EACH					
621F030	Adjust Manhole to Grade with Riser (3-4")	EACH					
N/A	Adjust Water Valve to Grade with Riser (1-2")	EACH					
N/A	Adjust Water Valve to Grade with Riser (3-4")	EACH					

		HOLMEA ASERAL LEAVING AND KOADWAL INTROVEMENTS BIT LEAVE	RIT III MA	5				
ALDOT#	)T # I1	Item to Be Completed in Place	Unit	2020 Cost	2021 Rate Increase	Z0ZZ Rate Increase	Quantity	Total
210A000	_	Unclassified Excavation (0-250 CY)	CY					
210A000		Unclassified Excavation (250-500 CY)	CY					
210A000		Unclassified Excavation (500-750 CY)	CY					
210A000		Unclassified Excavation (750-1000 CY)	CY					
210A000		Unclassified Excavation (over 1000 CY)	СҮ					
210D021		Borrow Excavation (0-250 CY)	CY					
210D021		Borrow Excavation (250-500 CY)	CY					
210D021		Borrow Excavation (500-750 CY)	СХ					
210D021		Borrow Excavation (750-1000 CY)	СХ					
210D021		Borrow Excavation (Over 1000 CY)	CY					
N/A	L	Undercut and Replace Unsuitable Material (0-250 CY)	CY					
N/A		Undercut and Replace Unsuitable Material (250-500 CY)	СХ					
N/A		Undercut and Replace Unsuitable Material (500-750 CY)	СХ					
N/A	L	Undercut and Replace Unsuitable Material (750-1000 CY)	СХ					
N/A	L	Undercut and Replace Unsuitable Material (over 1000 CY)	CY					
<u> </u>	_							
201A002	<u> </u>	Clear and Grub	AC					
250A000		Underground Storage Tank Closure (Specialty Item)	EACH					
250B002		Disposal of Hydrocarbon Contaminated Soil (Specialty Item)	СҮ					
250C000	L	Underground Storage Tank Removal (Specialty Item)	EACH					
250D000	<u> </u>	Contaminated Soil Excavation (Specialty Item)	CY					
251A002	l	Contaminated Soil Disposal (Specialty Item)	CY		:			

					Gallon	Joint Sealant for Hot Mix Asphalt Pavement	407A000
					TN		403B001
					TN	0 Micro-Surfacing Seal Coat, Type II	403B000
					SY	↓	401B119
					SY	<u></u>	401A011
					SY	Bituminous Treatment E (with Polymer Additive)	401B100
					SY	8 Bituminous Treatment G (with Polymer Additive)	401B108
					ij	Open Graded Asphaltic Concrete Interlayer	N/A
					SY	_	302A000
					SY		302A000
					SY	0 10" FDR including Materials and Mix Design (0-5,000 SY)	302A000
					YS		302A000
					SY		302A000
					SY		302A000
					SY	i l	302A000
					SY		302A000
					YS	0 6" FDR including Materials and Mix Design (0-5,000 SY)	302A000
	-				GALLON	0 Tack Coat	405A000
					SY		404A000
					SY		404A000
					SY	0 Fog Seal (15,000 SY Minimum)	404A000
					SY	0 Slope Stabilization	261A000
					SY		610D003
					CY	Rip Rap Grout	
					TN		610C002
					TN		610C001
					ĪN	0 Place Rip Rap CL I (Labor and Equipment Only)	610C000
Total	Quantity	Increase	Increase	2020 Cost	Unit	# Item to Be Completed in Place	ALDOT#
				CIN		HOT MIX ASTRACT FAVING AND ACADWAT ENTACTEME	

			TN	Superpave Bituminous Concrete Wearing Surface Layer, Leveling ½" Maximum Aggregate Size Mix, ESAL Range A/B	424A346
			TN	Superpave Bituminous Concrete Wearing Surface Layer, Patching 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	424A343
			IN	Superpave Bituminous Concrete Wearing Surface Layer, ½" Maximum Aggregate Size Mix, ESAL Range A/B	424A340
			Z	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	424A339
			Ä	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	424A338
			IJ	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	424A337
			TN	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	424A336
			TN	Bituminous Concrete Plant Mix, Leveling, Mix 1	416C020
			TN	Bituminous Concrete Wearing Surface, Mix 1	416A020
			Ϋ́	Bituminous Concrete Plant Mix, Patching, Mix 1	414B020
			Į.	Bituminous Concrete Binder Layer, Mix 1	414A020
			SY	Planing Existing Pavement (Approximately 3.1-4" Thick)	408A054
			SY	Planing Existing Pavement (Approximately 2.1-3" Thick)	408A053
			SY	Planing Existing Pavement (Approximately 1.1-2" Thick)	408A052
			SY	Planing Existing Pavement (Approximately 0-1" Thick)	408A051
Z0ZZ Kate Increase	Z021 Rate Z Increase ]	t 2020 Cost	Unit	Item to Be Completed in Place	ALDOT#
		Crara	NI O DIVI	HOLIVIA ASERALI FAVING AND ROAD WAL INFROVENIENTS BID ITEMS	

ALDOT#	Item to Be Completed in Place Unit	Unit	2020 Cost	2021 Rate	2022 Rate	Quantity	Total
	T TYY T TO THE TAX T TO THE TAX T T T T T T T T T T T T T T T T T T			THE CASE	THCT CUSC		
424A349	Superpave Bituminous Concrete Wearing Surface Layer, Widening 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	IJ					
424A341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	NT					
424A344	Superpave Bituminous Concrete Wearing Surface Layer, Patching 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424A347	Superpave Bituminous Concrete Wearing Surface Layer, Leveling 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424A350	Superpave Bituminous Concrete Wearing Surface Layer, Widening 3/2" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
	77.						
424A342	Superpave Bituminous Concrete Wearing Surface Layer,  1" Maximum Aggregate Size Mix, ESAL Range A/B	ĪN					
424A345	Superpave Bituminous Concrete Wearing Surface Layer, Patching 1" Maximum Aggregate Size Mix, ESAL Range A/B	N.					
424A348	Superpave Bituminous Concrete Wearing Surface Layer, Leveling 1" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424A351	Superpave Bituminous Concrete Wearing Surface Layer, Widening 1" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424R638	Supernave Rinuminous Concrete Unner Rinder Laver Patching		:				
7271000	Superpaye Buminous Construct Opper Burger Layer, raising 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling ½" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424B635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	TN					
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	TN					

424B670 \$ 424B674 \$ 424B677 \$	'  -			424B666	424B676	424B673	424B669 S	424B665	424B672	424B668 5	424B647 S	424B644 S	424B640 S	424B636	424B646	424B643	ALDOT#	
Superpave Bituminous Concrete Lower Binder Layer, Widening 1" Maximum Aggregate Size Mix, ESAL Range A/B	1 T TT	Superpave Bituminous Concrete Lower Binder Layer, Leveling 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Patching 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Widening 3/2" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Leveling 4" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Patching 3/2" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, 3/2" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Leveling 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Lower Binder Layer, Patching ½" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, Widening 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, Leveling 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, Patching 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, Widening %" Maximum Aggregate Size Mix, ESAL Range A/B	Superpave Bituminous Concrete Upper Binder Layer, Leveling 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	Item to Be Completed in Place	HOT MIX ASPHALT PAVING AND ROADWAY IMPROVEMENTS BID ITEMS
Ĭ		Ŋ	TN	TN	TN	TN	TN	Ĭ	TN	TN	TN	TN	TN	ij	TN	TN	Unit	יאים דו שום
																	2020 Cost	5
_																	2021 Rate Increase	
					,												2022 Rate Increase	
			<b></b>														Quantity	
																	Total	

	Total =						
					SF	703E000 Temporary Traffic Legends (Removable Tape)	703E000
					SF	703D000 Temporary Traffic Markings (Removable Tape)	703D000
					LF	Dotted Temporary Traffic Stripe (Removable Tape)	701F003
					LF	701E009 Broken Temporary Stripe (Removable Tape)	701E009
					LF	6   Solid Temporary Stripe (Removable Tape)	701E006
					SF	703E002   Temporary Traffic Legends (Paint)	703E002
					SF	D2 Temporary Traffic Markings (Paint)	703D002
-					TFF	1 Dotted Temporary Traffic Stripe (Paint)	701F001
					ΤŦ	1 Broken Temporary Stripe (Paint)	701E011
					LF	)	701E001
TOTAL	Anamary	Increase	Increase	2020 C08t	- Оші	ALDUI # Item to be completed in Flace	ALDOT
Total	Omantitu	2022 Rate	2021 Rate	ana Cost	TI LE		
						AND A STREET AND ARREST BAR CAR CAR OF ANY OF CHARLES TO SEE THE SECOND OF THE SECOND	